



# TASER® C2 LITHIUM POWER MAGAZINE



**WARNING**  
 Electronic Control Device  
 • Can temporarily incapacitate target  
 • Can cause injury  
 • May interfere with medical equipment and other devices  
 • Consult with current training materials and requirements  
 • See www.TASER.com

## TASER C2 Lithium Power Magazine Models

Model	Model No.	Color
Lithium Power Magazine (LPM)	39011	Black

## Specifications<sup>3</sup>


- Housing Material: ABS Polycarbonate Blend
- Shelf life: 10 Years at 77 °F [25 °C]
- Environmental:  
 Temperature range: -4 °F [-20 °C] to: 122 °F [50 °C] Relative Humidity: 15% to 80%
- At room temperature 77 °F [25 °C] the Lithium Power Magazine (LPM) will provide up to fifty, 30-second firings.

## Features

- Dust and moisture resistant<sup>5</sup>.

## Physical Dimensions<sup>1,3</sup>

Dimensions					Dimensions (Installed on C2)
Model	Length (L)	Height (H)	Width (W)	Weight	Length
LPM	1.64" [4.19 cm]	1.63" [4.14 cm]	0.96" [2.44 cm]	1.6 oz [45.36 g]	LPM - 6" [15.24 cm]



- Dimensions are in English [Metric].
- Additional terms and conditions may apply (For additional information contact a TASER International sales representative or visit online at [www.TASER.com](http://www.TASER.com)).
- Product specifications may change without notice; actual product may vary from the picture.
- Material Safety Data Sheet (MSDS) for lithium cells (two three-volt photo cells, Duracell® CR123A, are used) is available upon request.
- The LPM is dust and moisture resistant when properly installed in the C2.
- The LPM is intended solely for use in TASER C2 devices. Any unauthorized use will void the warranty and user assumes all liability.
- Replace the LPM when the power LED display is yellow. The safety switch and cover must be open to replace the LPM.
- TASER® is a registered trademark of TASER International, Inc. All rights reserved.